


Features


Style	LC, SC, ST, FC.MU, DIN, D4, MPO, SC/APC, FC/APC, LC/APC.MU/APC Duplex MTRJ/Female, MTRJ/Male
Fiber Type	9/125 SMF-28 or equivalent (Singlemade) OS2 50/125, 62.5/125 (Multimode) OM2&OM1 50/125, 10G (Multimode) OM3 50/125, 10G, 40G, 100G (Multimode) OM4
Cable Type	Duplex Φ3.0mm LSZH
Polishing Manner	UPC, SPC, APC (8°& 6°)
Insertion Loss	≤ 0.1dB (For Singlemode Master) ≤ 0.25dB (For Singlemode Standard) ≤ 0.25dB (For Multimode)
Return Loss (For Singlemode)	Tested by JDS RM 3750 UPC ≥ 50dB SPC ≥ 55dB APC ≥ 60dB (typ.65dB) Tested by JDS RM3750
Repeatability	±0.1dB
Operating temperature	-40°C to 85°C
Geometry Requirement (For Singlemode)	Ferrule Endface Radius 7mm ≤ R ≤ 12mm (For APC) 10mm ≤ R ≤ 25mm (For Standard) Apex Offset ≤ 30 μm (For Master) Apex Offset ≤ 50 μm (For Standard) Undercut -50nm ≤ U ≤ 50nm Tested by DORC ZX-1

Fiber Optic Patch Cable

Multimode



Singlemode




LC-LC Fiber Optic Patch Cable, Duplex

- LC / SC Connector
- Connector with ceramic ferrule
- Halogen free cable
- Fiber class OM1 & OM2 & OM3 & OM4 (Multimode)
- Fiber class OS1/OS2 (Singlemode)
- Cable diameter 3mm


please ask for other length

	Multimode OM1 62.5/125 μ	Multimode OM2 50/125 μ	Multimode OM3 50/125 μ	Multimode OM4 50/125 μ	Singlemode OS1 09/125 μ
1 m	BC-FO-6LCCLC-01	BC-FO-5LCCLC-01	BC-FO-5LCCLC-01/3	BC-FO-5LCCLC-01/4	BC-FO-9LCCLC-01
2 m	BC-FO-6LCCLC-02	BC-FO-5LCCLC-02	BC-FO-5LCCLC-02/3	BC-FO-5LCCLC-02/4	BC-FO-9LCCLC-02
3 m	BC-FO-6LCCLC-03	BC-FO-5LCCLC-03	BC-FO-5LCCLC-03/3	BC-FO-5LCCLC-03/4	BC-FO-9LCCLC-03
5 m	BC-FO-6LCCLC-05	BC-FO-5LCCLC-05	BC-FO-5LCCLC-05/3	BC-FO-5LCCLC-05/4	BC-FO-9LCCLC-05
10 m	BC-FO-6LCCLC-10	BC-FO-5LCCLC-10	BC-FO-5LCCLC-10/3	BC-FO-5LCCLC-10/4	BC-FO-9LCCLC-10
15 m	BC-FO-6LCCLC-15	BC-FO-5LCCLC-15	BC-FO-5LCCLC-15/3	BC-FO-5LCCLC-15/4	BC-FO-9LCCLC-15
20 m	BC-FO-6LCCLC-20	BC-FO-5LCCLC-20	BC-FO-5LCCLC-20/3	BC-FO-5LCCLC-20/4	BC-FO-9LCCLC-20

Multimode



Singlemode





LC-SC Fiber Optic Patch Cable, Duplex

- LC / SC Connector
- Connector with ceramic ferrule
- Halogen free cable
- Fiber class OM1 & OM2 & OM3 & OM4 (Multimode)
- Fiber class OS1/OS2 (Singlemode)
- Cable diameter 3mm

please ask for other length

	Multimode OM1 62.5/125 μ	Multimode OM2 50/125 μ	Multimode OM3 50/125 μ	Multimode OM4 50/125 μ	Singlemode OS1 09/125 μ
1 m	BC-FO-6LCSC-01	BC-FO-5LCSC-01	BC-FO-5LCSC-01/3	BC-FO-5LCSC-01/4	BC-FO-9LCSC-01
2 m	BC-FO-6LCSC-02	BC-FO-5LCSC-02	BC-FO-5LCSC-02/3	BC-FO-5LCSC-02/4	BC-FO-9LCSC-02
3 m	BC-FO-6LCSC-03	BC-FO-5LCSC-03	BC-FO-5LCSC-03/3	BC-FO-5LCSC-03/4	BC-FO-9LCSC-03
5 m	BC-FO-6LCSC-05	BC-FO-5LCSC-05	BC-FO-5LCSC-05/3	BC-FO-5LCSC-05/4	BC-FO-9LCSC-05
10 m	BC-FO-6LCSC-10	BC-FO-5LCSC-10	BC-FO-5LCSC-10/3	BC-FO-5LCSC-10/4	BC-FO-9LCSC-10
15 m	BC-FO-6LCSC-15	BC-FO-5LCSC-15	BC-FO-5LCSC-15/3	BC-FO-5LCSC-15/4	BC-FO-9LCSC-15
20 m	BC-FO-6LCSC-20	BC-FO-5LCSC-20	BC-FO-5LCSC-20/3	BC-FO-5LCSC-20/4	BC-FO-9LCSC-20

Fiber Optic Patch Cable




SC-SC Fiber Optic Patch Cable, Duplex

- SC / SC Connector
- Connector with ceramic ferrule
- Halogen free cable
- Fiber class OM1 & OM2 (Multimode)
- Fiber class OS1/OS2 (Singlemode)
- Cable diameter 3mm

please ask for other length

	Multimode OM1 62.5/125 μ	Multimode OM2 50/125 μ	Singlemode OS2 09/125 μ
1 m	BC-FO-6SCSC-01	BC-FO-5SCSC-01	BC-FO-9SCSC-01
2 m	BC-FO-6SCSC-02	BC-FO-5SCSC-02	BC-FO-9SCSC-02
3 m	BC-FO-6SCSC-03	BC-FO-5SCSC-03	BC-FO-9SCSC-03
5 m	BC-FO-6SCSC-05	BC-FO-5SCSC-05	BC-FO-9SCSC-05
10 m	BC-FO-6SCSC-10	BC-FO-5SCSC-10	BC-FO-9SCSC-10
15 m	BC-FO-6SCSC-15	BC-FO-5SCSC-15	BC-FO-9SCSC-15
20 m	BC-FO-6SCSC-20	BC-FO-5SCSC-20	BC-FO-9SCSC-20



LC-ST Fiber Optic Patch Cable, Duplex


- LC / ST Connector
- Connector with ceramic ferrule
- Halogen free cable
- I-VH 2G62.5/125μ (Multimode)
- I-VH 2E9/125μ (Singlemode)
- Fiber class OM1 & OM2 (Multimode)
- Fiber class OS1 (Singlemode)
- Cable diameter 3mm

please ask for other length

	Multimode OM1 62.5/125 μ	Multimode OM2 50/125 μ	Singlemode OS2 09/125 μ
1 m	BC-FO-6LCST-01	BC-FO-5LCST-01	BC-FO-9LCST-01
2 m	BC-FO-6LCST-02	BC-FO-5LCST-02	BC-FO-9LCST-02
3 m	BC-FO-6LCST-03	BC-FO-5LCST-03	BC-FO-9LCST-03
5 m	BC-FO-6LCST-05	BC-FO-5LCST-05	BC-FO-9LCST-05
10 m	BC-FO-6LCST-10	BC-FO-5LCST-10	BC-FO-9LCST-10
15 m	BC-FO-6LCST-15	BC-FO-5LCST-15	BC-FO-9LCST-15
20 m	BC-FO-6LCST-20	BC-FO-5LCST-20	BC-FO-9LCST-20

Fiber Optic Patch Cable

Multimode



Singlemode



ST-SC Fiber Optic Patch Cable, Duplex

- ST / SC Connector
- Connector with ceramic ferrule
- Halogen free cable
- Fiber class OM1 & OM2 (Multimode)
- Fiber class OS1/OS2 (Singlemode)
- Cable diameter 3mm

please ask for other length

	Multimode OM1 62.5/125 μ	Multimode OM2 50/125 μ	Singlemode OS1 09/125 μ
1 m	BC-FO-6STSC-01	BC-FO-5STSC-01	BC-FO-9STSC-01
2 m	BC-FO-6STSC-02	BC-FO-5STSC-02	BC-FO-9STSC-02
3 m	BC-FO-6STSC-03	BC-FO-5STSC-03	BC-FO-9STSC-03
5 m	BC-FO-6STSC-05	BC-FO-5STSC-05	BC-FO-9STSC-05
10 m	BC-FO-6STSC-10	BC-FO-5STSC-10	BC-FO-9STSC-10

Multimode



Singlemode



ST-ST Fiber Optic Patch Cable, Duplex

- ST / ST Connector
- Connector with ceramic ferrule
- Halogen free cable
- Fiber class OM1 & OM2 (Multimode)
- Fiber class OS1/OS2 (Singlemode)
- Cable diameter 3mm

please ask for other length

	Multimode OM1 62.5/125 μ	Multimode OM2 50/125 μ	Singlemode OS2 09/125 μ
1 m	BC-FO-6STST-01	BC-FO-5STST-01	BC-FO-9STST-01
2 m	BC-FO-6STST-02	BC-FO-5STST-02	BC-FO-9STST-02
3 m	BC-FO-6STST-03	BC-FO-5STST-03	BC-FO-9STST-03
5 m	BC-FO-6STST-05	BC-FO-5STST-05	BC-FO-9STST-05

Fiber Optic Patch Cable (Telekom Type)




BC-FO-5LCLC-03/4-T

Fiber Patch cord , 3.0mm
Duplex , MM OM4 50u,
LC-LC/PC 3M TELEKOM type




BC-FO-5LCLC-05/4-T

Fiber Patch cord , 3.0mm
Duplex , MM OM4 50u,
LC-LC/PC 5M TELEKOM type



BC-FO-9LCLC-03-T

LC-LC Fiber Optik Patch cord,
TELEKOM type, 3 m,
Singlemode, 3.0mm Duplex,
9/125, OS 2



BC-FO-9LCLC-05-T

LC-LC Fiber Optic Patch cord,
TELEKOM type, 5 m,
Singlemode, 3.0mm Duplex,
9/125, OS 2