








Perspective Diagram




Five classrooms with identical installations connect via the ATEN Video over IP system to enable a matrix of content distribution when there are high numbers of students.



Connection Diagram Classroom



Connection Diagram Digital Signage



Products

VE8900

HDMI over IP Extender

- 1080p @ 60Hz
- Daisy chain
- Support vertical displays
- Integrates with ATEN Control system
- Touch screen support (USB)
- IR, serial bi-directional by-pass



VS0108HA

8-Port 4K HDMI Splitter

• 1 HDMI input to 8 HDMI outputs

- Up to 4096 x 2160 @60Hz
- Bi-directional RS-232 control
- EDID Expert
- Rack-mountable



VK2100

Control Box

- Various interfaces: 6 Serial ports,
 4 IR/Serial ports, 4 Relay channels,
 4 I/O channels, 1 Ethernet port
- KNX compatible
- Expansion boxes and keypads available



VS98A

8-Port VGA Splitter

- 1 VGA input to 8 VGA outputs
- Up to 1920 x 1440 @ 60Hz
- Support 350MHz bandwidth



VC180

VGA/Audio to HDMI Converter

- Dual power support
- Automatic detection of input video signals





Australia · Belgium · China · India · Japan · Korea · Poland · Russia Taiwan · Turkey · UK · US (California) · US (New Jersey)

www.aten.com/solutions/

marketing@aten.com