




USB-C™ DOCKING STATION, 12-PORT



Manual

DA-70888

Overview



1	Mouse	7	Keyboard
2	External Hard Drive	8	USB Stick
3	Network	9	Memory Cards
4	VGA Display	10	Notebook
5	Power Supply	11	HDMI® Display
6	Smartphone	12	Headphones

Description

The multifunctional DIGITUS® docking station has everything you need to create a fully equipped workplace. Via the HDMI® and VGA port, you can extend your desktop to 2 additional monitors or connect projectors / TV devices. In combination with your existing screen, this allows you to clone your desktop on up to 3 displays or extend on up to 2 displays (2 extended + 1 cloned). Additionally, the docking station is equipped with two USB-C™ ports, one of which features Power Delivery (PD). This allows you to charge your connected notebook / tablet while in use. Via the second USB-C™ port, you can connect additional USB-C™ devices. Four additional USB ports provide you with plenty of space to connect additional mobile devices, which can be charged while in use. Of course, other USB peripheral devices such as a mouse or keyboard can also be connected using the 4 USB ports (2 x USB 3.0 / 2 x USB 2.0). Two card readers for SD/TF cards and MicroSD cards are also integrated, as is a gigabit Ethernet port. This allows you to connect your notebook to the local network or Internet via the docking station using a network cable. The Desktop-Multi-Tool features are rounded off with a stereo audio jack. This allows you to use a microphone, speaker, or headset. With the multifunctional DIGITUS® docking station, you can extend your notebook, tablet or smartphone with just one USB-C™ port.

Package Contents

- 1x Multifunctional USB-C™ Hub
- 1x User Manual
- 1x Warranty card

Features

- Zinc alloy body, silicone surface, strong and corrosion-resistant, comfortable feeling.
- Works on laptops with USB-C™ (thunderbolt 3) port and mobile phones or tablets with video output function (DP Alt Mode).
- Compatible with Windows, macOS®, Androidsystem.
- USB-C™ male port supports plug and play reversibly, no need to install driver.
- Video resolution supports 1080P when used the HDMI® & VGA simultaneously. Used HDMI® alonefor 4K, VGA for 1080P.
- USB 3.0 port data transfer up to 5 Gbps, USB 2.0 port data transfer up to 480 Mbps.
- SD and TF ports are provided to improve the situation of no card slots in MacBook®/UltraBook®, can be used at the same time.
- Provide 2 USB-C™ ports, using PD 3.0 port to charge your device, and another USB-C™ port to connect other peripherals.
- Ethernet port up to 1000 Mb/s, unimpeded to play games, handle official businesses, transfer and download files in few seconds.
- Audio port 3.5 mm output, clear sound quality.
- Able to performance well between -40 and 80 degrees.
- Electronic components are strong, have long service life and small radiation, harmless to human body.
- Enhanceanti-interference, ensure the interface work without interference, normal and smooth.
- Enhance over-current protection, the host machine will not be damaged by external equipment failure.

Specifications

Product Model	DA-70888	
Material	Zinc Alloy Body, Silicone Surface	
Color	Black	
Interface	USB 3.0 * 2 + USB 2.0 * 2 + HDMI® + VGA + LAN + SD/TF + USB-C™ (PD) + USB-C™ (DATA) + Audio 3.5	
Connector	USB-C™ Male	
Dimension (L x W x H)	291 x 76 x 21mm / 11.45 x 3.03 x 0.82 in	
Weight	230 g / 8.11 oz	
Operating System	PC, Ultrabook, Tablet PC and Notebook with Windows 10/8/7/Vista/XP/2000, macOS® 9.X & 10.X, Android	
Devices Supported	Flash Drive, External Hard Drive, Cell Phone, Tablet, Camera, Card Reader, MP3, MP4, Mouse, Keyboard, Wireless Adapter and any USB Peripherals	
USB 3.0 * 2	5Gbps, 5V 0.9A Max	
USB 2.0 * 2	480Mbps, 5V 0.9A Max	
SD/TF	USB 2.0 Speed = 480 Mbps, 5V 0.9A Max	
VGA	1920 * 1080P 60 Hz	Support simultaneously output 1920 * 1080P 60 Hz
HDMI®	3840 * 2160P 30 Hz	
LAN	10/100/1000 Mbps	
USB-C™ * 2	USB-C™ PD 3.0, USB-C™ DATA up to 5 Gbps	
Audio	3.5mm	

Usage Tips

1. For 2.4 GHz wireless devices, such as wireless key boards and mouse adapters, may not work in close proximity to USB 3.0 devices or hubs, please connect them to USB 2.0 ports.
2. There is both USB 2.0 and USB 3.0 ports on this hub, for some devices that require high speed, like USB 3.0 hard disks, we recommend you to use USB 3.0 port to connect.

Notes

1. Please use this product according to the instruction. DIGITUS® is not liable for any hard disk damage or data loss caused by improper use or dis-assembly of this product.
2. The instantaneous current requires for all interfaces to be started at the same time is larger than the current provided by the host itself, so the docking station cannot be started normally, and interfaces need to be plugged and unplugged one by one to work properly.
3. For high power consumption devices, only support insert 2 devices at the same time, like mobile hard disks, or printer. Other ports can be used to insert U disk, mouse and other low-current devices normally.
4. Please make sure that your devices have USB-C™ port and support video output function, then the The multifunctional DIGITUS® docking station can work for you.

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com
Assmann Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid
Germany

