

# QuMax Omni for Teltonika RUTX50

# INTEGRATED MULTI-BAND LTE & 5G OMNI ANTENNA + Wi-Fi ANTENNA + GPS + PLACE TO INSTALL TELTONIKA RUTX50 (ALL-IN-ONE)

QuMax Omni is a 5G omnidirectional MIMO 4x4 antenna for the Teltonika RUTX50 router. The antenna covers a wide frequency range from 617MHz (Band71) to 3.8GHz. Apart from 5G, also Wi-Fi and GPS antennas are included, which means you get an all-in-one solution for your RUTX50.

Additional router compartment inside the housing creates a variety of new outdoor (IP67) scenarios. It is recommended for moving applications, like trains, buses, yachts or campers, but also to improve signal quality in rural areas.

NOTE! The antenna doesn't support B 32 band and n 77 above 3800 MHz band!





















### **# 5G / LTE ANTENNA SPECIFICATION**

**FREQUENCY** 

0.617 - 0.96 GHz

1.7 - 2.2 GHz

2.2 - 2.7 GHz

3.3 - 3.8 GHz

**GAIN** 

0.617 - 0.96 GHz: 3 dBi

1.7 - 2.2 GHz: 3,5 dBi

2.3 - 2.7 GHz: 3,5 dBi

3.3 - 3.8 GHz: 4 dBi

**SUPPORTED LTE BANDS** 

1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 22, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 48, 49, 52, 53, 65, 66, 67,

68, 69, 71, 85, 103, 106

**SUPPORTED 5G BANDS** 

n1, n2, n3, n5, n7, n8, n12, n13, n14, n18, n20, n25, n26, n28, n29, n30, n34, n38, n39, n40, n41, n48, n53, n65, n66, n67, n71, n78, n80, n81, n82, n83, n84, n85, n86, n89, n90, n95, n97, n98, n100, n101, n256

**VSWR** 

<1.80, max <2.00

**BEAMWIDTH** 

360°/35° ±5°

**POLARIZATION** 

Vertical

**IMPEDANCE** 

50 Ω



### **(\*WI-FI ANTENNA SPECIFICATION**

2.40 - 2.50 GHz 4.70 - 6.00 GHz

2.40 - 2.50 GHz : 6 dBi 4.70 - 6.00 GHz : 7 dBi

vswr <1.70, max <2.00

BEAMWIDTH 360°/25° ±5°

POLARIZATION Verical

IMPEDANCE  $50 \Omega$ 

## **(MECHANICAL SPECIFICATION**

MATERIALS ABS, aluminum, PTFE, Fiberglass

CONNECTOR TYPE RJ45

INGRESS PROTECTION IP67

486.0 x 292.2 x 105.6 mm

19.13 x 11.50 x 4.16 inch

**WEIGHT** 2.5 kg 5.51 lbs


OPERATING TEMPERATURE

From -40°C to 70°C
From -40°F to 167°F




### **(\* PLOTS**

#### VSWR for LTE antenna




### VSWR for Wi-Fi antenna






#### Gain for LTE antenna




#### Gain for Wi-Fi antenna






#### 5G/LTE from 650MHz to 950MHz




#### 5G/LTE from 1.71GHz to 2.5GHz






#### 5G/LTE from 3.3GHz to 4.0GHz




#### 5G/LTE from 4.5GHz to 5.5GHz







### Wi-Fi 2.4GHz and 5GHz



### **(\* DIMENSIONS**









WWW.QUWIRELESS.COM

**Tel:** +48 513 900 416

Sales email: sales@quwireless.com

**Support email:** support@quwireless.com **Website:** www.quwireless.com

Address: Wireless Instruments Sp. z o.o., ul. Kościuszki 27, 52-116 Iwiny, Poland



