

EN

Click & Present Pro & Mini Wireless Collaboration System

DIGITUS



CLICK & PRESENT

Share, Present & Collaborate

The Click & Present systems from DIGITUS[®] enable you to transmit screen contents wirelessly and are perfectly suited for use in meeting rooms and conference rooms. Discover our different sets for varying needs.



No software or app necessary

True Plug & Play -Just plug in and get started.



In Offices



In conference rooms



In Co-Working Spaces



In schools/colleges



DIGITUS® Click & Present Pro - Wireless Collaboration System



With the Click & Present Pro set, you combine all your devices for a hardware-based presentation solution with a transmission distance of up to 50 meters.

Highlights of the Click & Present Pro System







Share from your notebook in 3 steps







You connect the receiver to your TV/touch panel.

Connect the transmitter to your PC's USB and HDMI port. The transmitter and receiver automatically establish a connection.

Then press the connect button on the transmitter to start transmitting your screen contents.

Share content easily from your mobile device



i0S

Connect your smartphone/tablet with the receiver via Wi-Fi. Then open screen synchronization and select the receiver as output device. As long as the receiver and iOS device are connected to the same network beforehand, you can share your content directly via screen synchronization.

Android

With activated WLAN, access the Sharing/Cast/ Display Sync function (share screen) of your mobile device and then select the receiver as the output device in order to share your content.



DIGITUS[®] Click & Present Pro Product number: DS-55317

Click & Present Pro - Wireless Collaboration System

Package content:

- 1x Receiver unit
- 2x HDMI transmitter 1x USB charging adapter
- (10W, 5V/2A)
- 1x Storage tray for HDMI transmitter
- 1x Micro USB cable, 1.5 m
- 1x HDMI cable, 1.15 m
- 1x USB adapter
- (USB-A, jack USB-C™, plug)
- 1x User manual



Description

The Wireless Collaboration System from DIGITUS® brings together all your devices (notebook, tablet, smartphone) and offers a hardware-based presentation solution for wireless transfer of screen content for meeting and conference rooms.

Up to 30 participants can be connected with the receiver. Up to 4 participants can present/collaborate simultaneously in split screen. Notebooks can be connected with the HDMI transmitter, the set can be extended with additional transmitters (DS-55322). Share content conveniently from a tablet/smartphone using the sharing/cast func-

tion (iOS, iPadOS/Android) of your mobile device, to do so first connect your mobile device with the receiver (SSID) via WLAN.

The configuration of the system has been optimally simplified here - no additional software/ apps are required. Increase the efficiency of your meetings, save time and achieve optimal results. **Share - Present - Collaborate.** All information also in our online store.







Features

- Share, present and collaborate from your notebook, tablet or smartphone
- Easy installation No software or app required
- Transmission distance: up to 50 m (unrestricted view)
- Present simultaneously from up to 4 participants in split screen
- Up to 30 participants (simultaneous connection to receiver)
- Share notebook via HDMI transmitter or via wireless screen (Windows)/screen sync (macOS)
- Share from a tablet/smartphone using the screen sync (iOS, iPadOS/Android) of your mobile device
- Touch Panel Back Control the touch back function of the receiver unit allows finger gestures/controls on a large touch screen to be sent back wirelessly to a Windows PC
- Distance: 50 m
- Integrated Whiteboard the main menu of the receiver provides a whiteboard function and in combination with a touchscreen, allows quick notes during the meeting, the presentation directly on the display

Technical details

- UHD 4K/60Hz (3840x2160p) on the receiver side - Connection of 4K displays
- Supports Windows, macOS, iOS, iPadOS, Android
- Supports HDR (High Dynamic Range)
- BYOD System Bring Your Own Device
- LED display: Operating and charging status

Transmitter connections:

 1x HDMI, plug (Full HD (1080p) - Connection to notebook, video output, cable length: 5 cm Notebook, Video-Ausgang, Kabellänge: 5 cm

- 1x USB-A, plug Connection to notebook, power supply, cable length: 12 cm
- Ix Connection button Easy sharing
- 1x LED status display

Receiver connections:

- 1x HDMI, jack (UHD, 4K2K/60Hz) Connection to output device
- 1x RJ45, jack (Fast Ethernet, 10/100 Mbps) -Connection to network/internet
- 2x USB-A, jack (USB 2.0) Connection of mouse & keyboard / Connection of touch display
- 1x Micro USB, jack Power supply (10W, 5V/2A)
- 1x LED status display
- 2x Radio antennas
- Wireless standard: IEEE 802.11 b/g/n/ac, 2,4G/5GHz, 2T2R
- AES 128 bit encryption
- WPA2/WPA-PSK/WPA2-PSK authentication
- Latency: approx. 100 ms
- Housing: Transmitter ABS / Receiver Aluminum
- Dimensions: Transmitter L 8.0 x W 8.0 x H 1.4 cm / Receiver L 8.5 x W 10.4 x H 2.3 cm
- Color: grey/black

Additional transmitter unit

Notebooks can be easily connected with the HDMI transmitter. The set can be extended with additional transmitters. The use of hardware makes it possible to establish a connection with low latency.



To the additional transmitting units



DIGITUS[®] Click & Present Pro Product number: DS-55317

The prdouct in application



7



The prdouct in application

















DIGITUS® Click & Present Mini - Wireless Presentation System



With the Click & Present Mini Set, you can wirelessly transmit HDMI video and audio signals in Full HD over a distance of up to 50 m with an unobstructed view. Switch to the desired transmitter quickly and easily at the press of a button in order to reproduce your content.

Highlights of the Click & Present Mini System







Share from your notebook in 3 steps



You connect the receiver to the HDMI port of your screen. Optionally, you can also connect this via USB port (additional power supply).



Connect the transmitter to your PC's HDMI port. Optionally also with the USB port (additional power supply). The transmitter and receiver automatically establish a connection.



Then press the connect button on the transmitter to start transmitting your screen contents.

Share content easily from your mobile device



i0S

Connect your smartphone/tablet with the receiver via Wi-Fi. Then open screen synchronization and select the receiver as output device.

Android

With activated WLAN, access the Sharing/Cast/ Display Sync function (share screen) of your mobile device and then select the receiver as the output device in order to share your content.



DIGITUS[®] Click & Present Mini Prtoduct number: DS-55319

Click & Present Mini - Wireless Presentation System

Package content:

- 1x Transmitter unit
- 1x Receiver unit
- 1x Wifi / Power cable (0,75 m) for RX
- 1x Micro USB cable (0.8 m) for TX
- 2x HDMI extension cable
- (0,15 m)
- 1x QIG



Description

With the **Wireless Presentation System**, you can wirelessly transmit HDMI video and audio signals in Full HD over a distance of up to 50 m with an unobstructed view. Operation and installation are super simple. Real **Plug & Play - Just plug in and get started**.

With additional transmitters (DS-55320), the set can be extended to up to **16 transmitter units** (total). Switch to the desired transmitter quickly and easily at the press of a button in order to reproduce your content. You can also share content directly from your **mobile device** (smartphone/table) using your device's OS directly, **no additional app required**. Transmitter can be supplied with power via your device's HDMI connection (> 500 mAh required). To have a safe and stable operation, we recommend to use always the Micro USB cables for power supply of TX and RX.

Thanks to the **compact design** of the transmitter and receiver, installation is **easy, quick and can be customized** - the perfect solution for meeting and conference rooms.









Technical details

- Wireless HDMI signal transmission up to 50 m (unobstructed view)
- Supports resolutions up to 1920x1080p
- Wireless channel: IEEE 802.11ac, 5 GHz, 2T2R
- HDMI version: 1.4
- HDCP version: 1.3
- AES 128 bit encryption
- WPA2 protocol
- Authentication protocol: WPA2 (WPAS-PSK / WPA2-Enterprise)
- Supports Windows, macOS, iOS, iPadOS, Android
- Connections per unit: 1x HDMI plug, 1x Micro-USB jack

- Power supply: HDMI jack (0.5A required) or via Micro-USB (DC 5V/0.5A)
- Connection button with LED status display
- Audio: Stereo, 16 bits / 48 KHz
- ABS housing
- Power consumption: approx. 2.5W
- Operating temperature: 0-40 °C
- Dimensions (1 unit): L 8.3 x W 3.2 x H 1.3 cm
- Weight (1 unit): 27 g
- Color: Black

Additional transmitter unit

With this transmitter unit, extend the Click & View Mini System to up to 16 transmitters. Notebooks can be easily connected with the HDMI transmitter. The use of hardware makes it possible to establish a connection with low latency.



To the additional transmitting units



The product in the application



DIGITUS[®] Click & Present Mini Product number: DS-55319

The product in the application

All information also in our online store.





16:1 Verbindung 16:1 connection		max. 16 HDMI* Sender Transmitter DS-85320	
HOM Excel Birth Birth Bi			
	» - <u>m</u>		









de.assmann.shop/en/click-present/



DIGITUS Wireless HDMI® Extender / Splitter Set, 80 m Product number: DS-55314

Description

The Wireless HDMI[®] Extender / Splitter Set transmits your high-resolution HDMI[®] video and audio signals wirelessly to a distance of up to 80 m (1:1 connection, unobstructed view)

Key - Facts

- ✓ The set can be extended by up to 4 receiver units (DS-55315) and offers splitter functionality with additional receivers
- ✓ Supports point-to-point and multicast (point-to-multipoint) transmission
- ✓ Distribute your HDMI[®] signal on up to 4 TVs/monitors
- ✓ Wireless transmission of HDMI[®] signals over a distance of up to 80 m (1:1 connection, unobstructed view)
- ✓ IR input and output for forwarding the remote control signal to the source device

DIGITUS Receiver unit for Wireless HDMI[®] / Splitter Extender Set, 80 m Product number: DS-55315

Description

The additional receiver unit for the Wireless HDMI[®] Extender / Splitter Set supplements this multicast system with up to 4 receiver modules and receives your highresolution HDMI[®] video and audio signals wirelessly at a distance of up to 80 m (1:1 connection, unobstructed view).

Key - Facts

- ✓ Set extension for the Wireless HDMI[®] Extender Set (DS-55314) to up to 4 receivers
- ✓ Supports multicast (point-to-multipoint) transmission for up to 4 receiver units
- ✓ IR input for forwarding the remote control signal to the source device
- ✓ Distribute your HDMI[®] signal on up to 4 TVs/monitors
- ✓ Plug and Play no software or drivers needed



All information also in our online store.









14

More products for wireless data transmission



DIGITUS Wireless HDMI KVM Extender Set, 200 m Product number: DS-55321

Description

The Wireless HDMI[®] KVM Extender Set transfers your HDMI[®] video and audio signals in Full HD without a cable over a distance of up to 200 m (unobstructed view).

Key - Facts

- ✓ Wireless HDMI signal transmission up to 200 m (with unobstructed view)
- ✓ Point-to-point connection
- ✓ Supports transmissions resolutions up to Full HD (1080p / 60 Hz)
- ✓ KVM functionality for connection to mouse and keyboard
- ✓ Touch Screen Back Control Supports touch screen panels (via USB connection on the receiver)
- ✓ Supports input signals with up to 4K/60Hz
- ✓ HDMI loop-out for connection of a local monitor to the transmitter unit

DIGITUS Wireless HDMI Extender Set, 50 m Product number: DS-55318

Description

With the Wireless HDMI Extender Set, you can wirelessly transmit HDMI video and audio signals in Full HD over a distance of up to 50 m with an unobstructed view.

Key - Facts

- ✓ Multimedia transmission
- \checkmark No software installation required
- ✓ Range: The transmission distance is up to 50 m with unobstructed view
- ✓ Private and professional applications: The streaming solution is suitable for subsequent or last-minute video transmissions
- ✓ Device requirements: All devices with HDMI interface





All information also in our online store.

Discover our Click & Present landingpage



For more information and highlights of our Click & Present systems, please visit our website.

All information at a glance in our product video

Areas of application, functionality and connection options - our product video shows you this and much more.

Discover how you can easily connect the system to your notebooks and mobile devices in 3 steps and share screen content directly with other participants.







www.assmann.com

DM-30415

Mentioned brand names and logos are trademarks or registered trademarks of their respective owners. Design deviations from the illustrations, errors and technical changes are reserved. All information without guarantee. We assume no liability for printing errors. Delivery subject to change, only while stocks last. 09/2022

ASSMANN Electronic GmbH

Auf dem Schüffel 3, 58513 Lüdenscheid Tel.: +49 (0)2351 554 0 www.assmann.com

